

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	328	128/203.16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/09/26 12:17
S2	15	shutter and ampoule and valve	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/09/26 12:19
S3	2	((("5584285") or ("6044841"))).PN.	USPAT; USOCR	OR	OFF	2005/09/26 12:27
S4	2834	((("128/200.14) or (128/200.17) or (128/200.18) or (128/205.24)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/26 12:30
S5	710	((("128/203.16) or (128/200.21)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/30 14:54
S6	2344	shutter and deformable	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/30 14:54
S7	1	shutter near deformable and valve and nebulizer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/30 14:54
S8	2	("3877616" "4215804").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 14:55
S9	2	("6003737").URPN.	USPAT	OR	OFF	2005/09/30 14:57
S10	2929	((("222/321.2) or (222/321.7) or (222/321.9) or (222/336) or (222/373) or (222/380)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/30 14:58
S11	28	S10 and shutter	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/30 15:00
S12	70	shutter and nebulizer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/30 15:01
S13	7	shutter adj deformable	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/30 15:01

S14	23074	shutter and ring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/30 15:02
S15	108	shutter and ring and atomizer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/30 15:02